



Fax: 866-523-5406

						bio	plusir	<u>nfusio</u>	n.com	Phon	<u>ie: 800-829-3975</u>	
Ship To: 🗆 In Of	ice	ion Suite	☐ At Home		Other							
PATIENT INFORMATIO	N											
Patient Name:					SSN:				DOB:			
Address:				City:	City:		State	ate: Zip:				
Home Phone:				Height	leight: Weigh			Gender:		Male	Female	
Cell Phone:	Email Address:											
INSURANCE INFORMATION (or attach copy of cards)												
Primary Insurance Co:	Policy Holder:			Relationship:		Policy #:			Group #:			
econdary Insurance: Policy I		Policy Holder:	olicy Holder:		Relationship:		Policy #:			Group #:		
CLINICAL INFORMATION ( Fax all pertinent clinical and lab information)												
Diagnosis (ICD-10: Date of Diagnosis:												
Pemphigus L10.0 CIDP G61.81 Peripheral Neuropathy G60.9 MMN G61.82 Multiple Sclerosis G35 Acute Infective Polyneuritis/GBS G61.0 Myasthenia Gravis with acute exacerbation G70.01 Myasthenia Gravis without acute exacerbation G70.00 Dermatomyositis M33.90 Polymyositis M33.20  Has patient received immune globulin previously? No Yes: Date of last infusion Date of next infusion: Comorbidities:												
ALLERGIES: NKDA Other												
PRESCRIPTION INFORMATION (or attach a copy of the prescription)												
Infusion Therapy:         Preferred brand												
Dose:					Vascular Access Device:  ☐ Peripheral Catheter ☐ PICC ☐ Port ☐ Other (describe/# of lumens):  Flush Orders: (If IV ordered the following flush protocols will be followed) ☐ Sodium Chloride 0.9%  Peripheral Line: 3 ml before each dose and 3 ml after each dose and prn Central Line: 5 - 10 ml before each dose and 5 -10 ml after each dose and prn ☐ Heparin 10 u/ml Peripheral Line: 3 ml after last sodium flush and prn ☐ Heparin 100 u/ml Central Line: 5 ml after last sodium flush and prn Provide needles, syringes, VAD supplies & other ancillary supplies needed for infusion							
Pre-Medication Diphenhydramine 25 mg capsule: 1-2 capsules by mouth 15-30 minutes before each infusion □Decline					Hydration Orders Infuse mgsolution							
					Prior to		□F	ollowing	9			
Acetaminophen 650 mg tablet: 1-2 tablets by mouth 15-30 minutes before each infusion □Decline □ Other Strength: Directions:					Labs:         Results will be faxed to physician's office. If no frequency noted, ordered labs to be done prior to initial infusion only. Labs will not be drawn on weekend/holidays. Not appropriate for STAT labs         ☐ Quantitative Ig A prior to first dispense. Pharmacist to obtain authorization from MD.         ☐ Other Frequency of Labs:							
As required by your state, Preso "Brand Medically Necessa				Dispens	se as written							
NURSING												
□ Nursing Agency: □ Skilled Nursing Visits for Immune Globulin Intravenous administration and education. To provide education related to the disease process and IG therapy. □ To provide an assessment of patient's general overall health status. To provide skilled nursing visits PRN for additional education and support.												
PHYSICIAN INFORMATION												
Prescriber Name:		Phone:				Fax:						
Office Contact:				Em	ail:							
Address:												
NPI #:				Tax ID	#							
Prescriber Signature: Date:												

Your signature authorizes BioPlus Specialty Pharmacy Services, LLC, and their network of pharmacies, MedScripts Medical Pharmacy, River Medical Pharmacy, Route 300 Pharmacy, and Santa Barbara Specialty Pharmacy (the "BioPlus Pharmacies"), to act on your behalf to obtain prior authorization, including appeals and peer to peer reviews, for the prescribed medications We will also pursue available copay and financial assistance on behalf of your patients. BioPlus Specialty Pharmacy 170 Southcenter Ct., Suite 100, Morrisville, NC 27560

BioPlus Specialty Pharmacy 13925 Yale Ave, Suite 145, Irvine, CA 92620

River Medical Pharmacy 4752 Research Drive, San Antonio, TX 78240

Route 300 Pharmacy 1208 Route 300, Suite 103, Newburgh, NY 12550