

## Skip this form & e-prescribe! <u>Select BioPlus</u> from your EHR

Fax: 866-523-5406 Phone: 800-829-3975

				BLEEDII	NG L	ISORDER	₹			bioplusint	usion.com	٦
Ship To:   In Office   Infusion Suite					me	□ Other_					_	1
PATIENT INFOR	MATION											
Name:					SSN:				DOB:			
Address:					City:		State:		ZIP:			_
Home Phone: Cell:					Heigh	nt·	Weigh	t·	Gender:	Female	Male	-
Email:					Allerg		1	-	1 0 0 1 1 1 1			-
INSURANCE IN	EORMATION (	or attack	a copy of	f cards)	7 (1101)	,100.						i
		or anaci				Deletienehin		Dalieu	. <i>4</i> .	One.up.d	4.	
•			Policy Hold			Relationship:		Policy #:				_
•			Policy Holder:			Relationship:		Policy#:		Group#:		
CLINICAL INFORMATION												
-	mild noderate severe D68.318 Ott			318 Other hen anticoag	reditary deficiency of other clotting factors Other hemorrhagic disorder due to intrinsic circulating anticoagulants, antibodies, or inhibitors							
Date of Diagnosis:	•		Comorbi	dities:								
		_	Comorbi	uities								
ALLERGIES:  N		Al Cox orbit	vob a oo	ny of procesin	dian)		<del> </del>					
PRESCRIPTION		<u> </u>	ich a co	py of prescrip	non							
CLOTTING FA				Dose:		Otv:		F	requency:			
☐ Brand Name:			Dose:						requency:			
Dosage: Mild units/kg dose/week for			for a duration	Severe units/kg								
Episodic: Dispense												
OTHER MEDIC  ☐ Amicar®												
□ Allical⊎	Directions.						Qty:		Refills:		_	
☐ Lysteda®	Directions:											
☐ Stimate®	Directions:						Qty:		_ Refills:			
□ Otimate⊎							Qty:		_ Refills:			
	Directions:											
									_ Refills:			
VASCULAR ACCESS DEVICE: ☐ Peripheral Catheter ☐ PICC ☐ Port							er (describe/#	of lumens	):			
Flush Orders: (If IV ordered, the following flush protocols v ☐ Sodium Chloride 0.9%  Peripheral Line: 3 mL before each dose and 3 mL after eac Central Line: 5-10 mL before each dose and 5-10 mL after each				/iii be iollowed)		□ Othe	er					
Central Line: 5-10 r	mL before each do	se and 5-10	0 mL after e	ach dose and PRI	N							
Anaphylaxis Kit Orde	•	ction Man	•	( 1/year)								
☐ Epinephrine	□ IM		□ SUBQ		,			Re	efills:	_		
Adult 1:1000, 0.3 mL (	>30 kg/>66lbs) PRN	severe aller	gic reaction,	call 911. May repea	t in 5-15	minutes as nee	eded.					
NURSING												
□ Nursing Agency:Phone:  Skilled Nursing Visits for infliximab intravenous administration and education. To provide education related to the disease process and therapy.  To provide an assessment of patient's general overall health status. To provide skilled nursing visits PRN for additional education and support.												
As required by your state, Prescriber to check "Dispense as written" or handwrite "Brand Medically Necessary" and sign to prevent generic substitution.												
PHYSICIAN INFO	RMATION					INI	FUSION TYF	F. D.At	Home.	In Office		
Prescriber Name:				Phone:		— INI	Fax:	AI	Honie 🗀			
Office Contact:							Email:					
Address:				City:			State:		ZIP	) <b>.</b>		
NPI #:				J., .			Tax ID:		211	•		_
												_
Prescriber Signatur	e:						Date:					